

HEPATITIS C VIRUS SPECIALTY CARE PROGRAM Phone: 844-805-3357 • Fax: 888-978-6171

Kloud Script

1 PATIENT INFORMATION: Name:			PRESCRIBER INFORMATION: Name:			
Address:		Address:				
			State: 2			
Phone: Phone: Phone: Email: NPI:						
Height: Weight:	Allergies:	Office Contact:	Office Contact: Phone: _			
3 STATEMENT OF ME	DICAL NECESSITY: (P	lease Attach All Medical	Documentation)			
Diagnostic Information			Labs			
Date of Diagnosis: 070.54 HCV (Chronic) Other:			ALT: HGB: _	HGB:		
Genotype: Subtype: Q80K: □ Positive □ Negative (For Genotype 1a)			AST: HCV RN	۱A:		
Indicate Patient Status: ☐ Naïve ☐ Partial Responder ☐ Non-responder ☐ Null-responder ☐ Relapser			PLT: SrCr:			
Duration of Previous Therapy: Weeks From: To:			Date:			
Cirrhosis: ☐ No ☐ Yes If Yes: ☐ Compensated ☐ Decompensated						
History of Liver Biopsy? ☐ No ☐ Yes If Yes, Please Attach Results			Medication List and Contra	aindicatior	ns	
□ Fibrosure or □ Fibroscan: Results:			□ Attach Medication List	N BV		
Extra-Hepatic Manifestations: Ascites Hepatic Encephalopathy Thrombocytopenia Other:			Is the patient interferon ineligible? ☐ No ☐ Yes ☐ Anxiety ☐ Depression ☐ Pulmonary Abnormalities			
Does the patient need liver transplantation? \(\text{Yes} \) No			☐ Renal Insufficiency ☐ Other:	•		
4 PRESCRIPTION INFO		harany D. O. Waaka, D. 10 W	looko D 24 Wooko D Othor			
Medication	Dosage & Strength	Direction		OTV	Refills	
□ DAKLINZA [™]	☐ 30mg Tablets ☐ 60mg Tablets	☐ Take 30mg daily with or v		28	ricilis	
		☐ Take 60mg daily with or v		28		
L HARVONI®	☐ 90mg/400mg Tablet	☐ Take 90mg daily with or v		28		
□ OLYSIO™	☐ 150mg Capsules	Take one 150mg capsule orally once a day		28		
□ SOVALDI®	☐ 400mg Tablets	Take one 400mg tablet orally once a day		28		
□ VIEKIRA PAK™	☐ 12.5/75/50mg & 250mg Dose Pack	Take three tablets in the morning and one tablet in the evening with a meal, as directed on the daily dose pack		1 Pack		
■ MODERIBA Dose Pack™	☐ 600mg per day ☐ 800mg per day	☐ Take 200mg tablet every☐ Take 400mg tablet every☐	morning/400mg tablet every evening morning/400mg tablet every evening			
☐ RIBASPHERE RibaPack®	☐ 1000mg per day ☐ 1200mg per day	☐ Take 600mg tablet every	Take 600mg tablet every morning/400mg tablet every evening Take 600mg tablet every morning/600mg tablet every evening			
□ MODERIBA [™]	D 000 T-1-1					
□ RIBASPHERE®	□ 200mg Tablets□ 200mg Capsules	Take tablets/ca	apsules every morning and, apsules every evening			
□ RIBAVIRIN	D 10 5/75/50 T-1-1-1-	T				
☐ TECHNIVIE™ ☐ XIFAXAN®	☐ 12.5/75/50mg Tablets ☐ 550mg Tablets	Take two tablets once daily Take one tablet twice daily		56 60		
	2 ocomy rapicts	Take one tablet twice daily	with or without lood	- 00		
6 INJECTION TRAININ	■ O Pharmacist to Provid	de Training O Patient Trai	ned in MD Office O Manufacture	er Nurse S	upport	
6 PRODUCT DELIVER						
		-	f Pharmacy and Medical Card			
			nsurance prior authorizations, nursing services and patier	nt assistance pro-	ograms.	
Signature: Date:						
~	mined by the payor based upon the patient's eligibility, medi	lical necessity, and the terms of the patient's coverage, a	mong other things. Participation in this program is not a guarantee of pr	ior authorization or of	of payment.	